

Gp/2882

DOCKET NO. GB 000180 (PHIL06-00055)

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: : Paul F. Fewster, et al.  
Serial No. : 10/022,150  
Filed : December 13, 2001  
For : X-RAY DIFFRACTOMETER  
Group No. : 2882  
Examiner : A.C. Ho

BOX NON-FEE AMENDMENT

Commissioner for Patents  
Washington, D.C. 20231

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

Sir:



The undersigned hereby certifies that the following documents:

1. Amendment and Response to Office Action;
2. Submission of Proposed Drawing Amendment for Approval by Examiner (w/redlined drawings); and
3. Two (2) postcard receipts;

relating to the above application, were deposited as "First Class Mail" with the United States Postal Service, addressed to Box NON-FEE AMENDMENT, Commissioner for Patents, Washington, D.C. 20231, on January 7, 2003.

Date: 1-7-03

Date: 1-7-03

  
\_\_\_\_\_  
Mailer  
  
\_\_\_\_\_  
Daniel E. Venglarik  
Reg. No. 39,409

P.O. Drawer 800889  
Dallas, Texas 75380  
Phone: (972) 628-3600  
Fax: (972) 628-3616  
E-mail: [dvenglarik@davismunck.com](mailto:dvenglarik@davismunck.com)

RECEIVED  
JAN 17 2003  
RECEIVED  
MAR 10 2003  
TECHNOLOGY CENTER 2800  
TECHNOLOGY CENTER 2800



DOCKET NO. GB 000180 (PHIL06-00055)

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: : PAUL F. FEWSTER ET AL  
Serial No. : 10/022,150  
Filed : December 13, 2001  
For : X-RAY DIFFRACTOMETER  
Group No. : 2882  
Examiner : A.C. Ho

**BOX Non-Fee-Amendment**  
Commissioner for Patents  
Washington, D. C. 20231

Sir:

**AMENDMENT AND RESPONSE TO OFFICE ACTION**

No fees are believed to be necessary; however, in the event that any fees are required for the prosecution of this application, please charge any necessary fees to Deposit Account No. 50-0208. No extension of time is believed to be necessary. If, however, an extension of time is needed, the extension is requested and please charge the fee for this extension to Deposit Account No. 50-0208.

In response to the Office Action dated October 7, 2002, please amend the above-identified application as follows:

**IN THE SPECIFICATION:**

Please replace the paragraphs on page 8 at lines 14-30 of the specification with the following:

8/1a  
787up toe  
4-2-03  
RECEIVED  
JAN 17 2003  
TECHNOLOGY CENTER 2800  
RECEIVED  
MAR 10 2003  
TECHNOLOGY CENTER 2800